

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: VITROVAC®**
- **Detailed descriptions:** VITROVAC 6070 K70, - 6025 I50, - 6080 L80, - 6150 N50, - 6150 B60, - 6030 D30
- **Information sheet - no.:** IB40
- **Remarks for information sheet**
Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.
Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the article:** semi-finished products and parts
- **Details of the supplier of the information sheet**
- **Manufacturer/Supplier:**
VACUUMSCHMELZE GmbH & Co.KG
Grüner Weg 37
D-63450 Hanau

datasheet@vacuumschmelze.com
- **Further information obtainable from:** Environmental Protection Department
- **Emergency telephone number:**
Tel. no.: (**49) 6181/38-0
Emergency tel. no.: via (**49) 6181/38-0

2 Hazards identification

- **Classification (substance or mixture)**
Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):
Not applicable
For articles there is no obligation to classify acc. to CLP -Regulation.
- **GHS label elements**
Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation):
Not applicable
-
- **Additional VAC information:**
In the case of dust-producing processing, we recommend observance of the following warnings :
- **Hazard statements**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
May cause long lasting harmful effects to aquatic life.
- **Precautionary statements**
Do not breathe dust/fume/gas/mist/vapours/spray.
In case of inadequate ventilation wear respiratory protection.
Use personal protective equipment as required.
Avoid release to the environment.
Do not eat, drink or smoke when using this product.
Get medical advice/attention if you feel unwell.
- **Other hazards**

Danger of accident!
Always wear protective clothing, protective glasses and safety gloves when handling the bands.
- The bands have sharp edges. There is a danger of (serious) injury from cuts.
- The bands can split and cause (serious) cuts when bent excessively
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

Trade name: **VITROVAC®**

• vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

• **Chemical characterization:**

• **Description:** Metal in compact form

• **Components(composition):**

The classifications given below reflect the classification of each pure substance respectively and are intended for information only

CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9 RTECS: GF 8750000	cobalt	Xn R42/43 R53 H334; H317; H413	79-87%
CAS: 7440-21-3 EINECS: 231-130-8	silicon	F R11 H228	3-10%
CAS: 7439-89-6 EINECS: 231-096-4 RTECS: NO 4565500	iron		1-4%
CAS: 7439-96-5 EINECS: 231-105-1 RTECS: OO 9275000	manganese		< 5%
CAS: 7439-98-7 EINECS: 231-107-2 RTECS: QA 4680000	molybdenum		< 3%
CAS: 7440-03-1 EINECS: 231-113-5	niobium		~ 2*%

• **Remark to the composition:**

* The niobium concentration mentioned only applies for the alloy VITROVAC 6025 I50.

• **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

• **Description of first aid measures**

• **After inhalation:**

If metal vapours or solid dusts have been inhaled:
Get the affected person out in the fresh air and call a doctor.

• **After skin contact:**

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

• **After eye contact:**

Foreign bodies must be removed, consult a doctor if necessary.
Beware of metal splinters - Consult a doctor immediately.

• **After swallowing:** Consult a doctor if the symptoms persist.

• **Information for doctor:**

• **Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

(Contd. on page 3)

Trade name: **VITROVAC®**

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Non-combustible.
Extinguishing agents must be adapted to the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- **Personal precautions, protective equipment and emergency procedures** No special measures required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** No special measures required.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**

Danger of accident!

Always wear protective clothing, protective glasses and safety gloves when handling the bands.

- The bands have sharp edges. There is a danger of (serious) injury from cuts.
- The bands can split and cause (serious) cuts when bent excessively.

No more safety precautions are necessary in the delivered form.

The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8):

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Take note of emission threshold.

- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Not applicable
- **Storage class:** Not applicable
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:**
Suction and filtering and good ventilation of the working area must be provided for processes where dust is formed.
Approved industrial vacuum cleaners of at least dust class M must be used (DIN EN 60335-2-69).
Recommended: dust class H

(Contd. on page 4)

Trade name: **VITROVAC®**

(Contd. of page 3)

Suitable breathing apparatus must be used during repair and maintenance work on suction systems (see personal safety equipment).

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

The new Hazardous Goods Act (01.01.2005) has revoked the legal basis of the TRK values and abolished these values without replacement. However, the technical limit values will act as guides in determining which exposition levels (based on state-of-the-art technology) had to be undershot at the time the limit values were calculated. For this reason, these values will continue to be listed in Point 8 of the Safety Data Sheet for the time being.

7440-48-4 cobalt	
1. RECOMMENDATION GERMANY (W)	0,1 / 0,5 mg/m ³ TRGS 901-12
7439-96-5 manganese	
MAK (TRGS 900)-GERMANY (W)	Short-term value: 2,0 E mg/m ³ Long-term value: 0,5 E mg/m ³ Y, 25; (DFG)
7439-98-7 molybdenum	
AGW (TRGS 900)-GERMANY (W)	general dust limit value
7440-03-1 niobium	
EX-VALUE (1) GERMANY (W)	0,5 E mg/m ³ niobium compound, soluble
EX-VALUE (2) GERMANY (W)	5 E mg/m ³ niobium compound, insoluble

- **Additional Occupational Exposure Limit Values for possible hazards during processing:**
Compliance with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured.

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.

- **Respiratory protection:**



In the case of dust formation (limit value exceeded), breathing apparatus must be worn.
Time limits for wearing must be observed.

Breathing mask, apparatus with particle filter P2 or P3, for example:

- Full face mask (EN 136)
- Breathing mask (EN 149) FFP2 or FFP3
10 times the limit value (FFP2)
30 times the limit value (FFP3)
Recommendation: P3

- **Protection of hands:**



Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

- **Material of gloves**

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

- **Penetration time of glove material -**

(Contd. on page 5)

Information sheet for articles

Printing date 11.10.2011

Version number 1

Revision: 11.10.2011

Trade name: **VITROVAC®**

(Contd. of page 4)

• **Eye protection:**



In the event of larger quantities of dust:
Wear protective glasses / EN 166, poss. with side protection.

• **Limitation and supervision of exposure into the environment**

The legal issue values and limitations are to be paid attention!

9 Physical and chemical properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form:	Strip
Colour:	Metallic
• Odour:	Odourless

• **pH-value:** Not applicable.

• **Change in condition**

Melting point/Melting range (approx.): 1000-1200°C

• **Self-igniting:** Not applicable

• **Danger of explosion:** Not applicable

• **Vapour pressure:** Not determined.

• **Density (approx.) at 20°C:** 7,8 g/cm³

• **Relative density** Not determined.

• **Solubility in / Miscibility with water:**

Insoluble.

• **Other information**

No further relevant information available.

10 Stability and reactivity

• **Reactivity**

• **Chemical stability**

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

• **Possibility of hazardous reactions**

Hydrogen is released in contact with acid which can cause explosive gas mixtures.

• **Conditions to avoid** No further relevant information available.

• **Incompatible materials:** No further relevant information available.

• **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

• **Information on toxicological effects**

• **Acute toxicity:**

• **LD/LC50 values:**

The following applies for the pure substance (here cobalt):

7440-48-4 cobalt

Oral	LD50	6170 mg/kg (rat)
------	------	------------------

• **Primary irritant effect:**

• **on the skin:** see sensitization

(Contd. on page 6)

Information sheet for articles

Printing date 11.10.2011

Version number 1

Revision: 11.10.2011

Trade name: **VITROVAC®**

(Contd. of page 5)

- **on the eye:**
Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.
- **Sensitization:**
In the case of repeated and prolonged contact with the skin with metallic cobalt there is a possibility of sensitization.
Cobalt in the form of inhalable dust can lead to hypersensitisation when inhaled.
- **Subacute to chronic toxicity:**

In Germany, cobalt in the form of inhalable dust is classified as category 3 carcinogenic.
- **Additional toxicological information:**
When used and handled according to specifications, the article not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- **Toxicity**
- **Acquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Observe official regulations.
- **Uncleaned packaging:** Not applicable

14 Transport information

- **Transport/Additional information:**
- **Land transport ADR/RID (cross-border):**
- **Remarks:** Non-hazardous goods from the standpoint of the specified regulations
- **Maritime transport IMDG:**
- **Remarks:** Non-hazardous goods from the standpoint of the specified regulations
- **Air Transport ICAO-TI and IATA-DGR:**
- **Remarks:** Non-hazardous goods from the standpoint of the specified regulations

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**

(Contd. on page 7)

Information sheet

for articles

Printing date 11.10.2011

Version number 1

Revision: 11.10.2011

Trade name: VITROVAC®

(Contd. of page 6)

e.g.

- guidelines 67/548/ECC, 1999/45/EC
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances

- **Chemical safety assessment:** Void (for articles)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

H228 Flammable solid.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

R11 Highly flammable.

R42/43 May cause sensitisation by inhalation and skin contact.

R53 May cause long-term adverse effects in the aquatic environment.

- **Department issuing MSDS:**

Department HT-F

Tel. 06181/38-2045

- **Contact:**

Environmental Protection Department

Tel. 06181/38-2359

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

- **Sources**

- KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe
- Technische Regeln für Gefahrstoffe
- BIA-Gefahrstoffdatenbank